



FOOD PREPARATION
PLANETARY MIXER

EU MIXER

EFFICIENT - RELIABLE - INNOVATIVE





1 | RELIABLE – EFFICIENT – ROBUST

UNSURPASSED QUALITY AND RELIABILITY

HOBART's expertise and product development ensure a reputation for quality and reliability that has never been surpassed.

EFFICIENCY – EASE OF USE

Ergonomically designed for ease of use the bench and floor standing models feature an exclusive planetary action for consistent and efficient processing. The bowl lifting mechanism allows the operator to lift the bowl effortlessly. Whether it is the ergonomically designed handle for smaller types of machines, or the wheel action lifting mechanism, rest assured the bowl will move with ease.



HOBART's EU planetary mixer range is suitable for every type of operation and able to cope with all capacity requirements.



Bowl trucks are available for easing the movement of heavy loads.



Model A 200
20 l bowl capacity



Model HSM 10
10 l bowl capacity



Model HSM 20
20 l bowl capacity



Model HSM 30
30 l bowl capacity

EU MIXER

EFFICIENT – RELIABLE – INNOVATIVE

ROBUST CONSTRUCTION

HOBART's EU mixers feature top-quality and robust construction, which makes them extremely resistant to any damage, thus guaranteeing a long service life.

SAFE OPERATION

All models conform with CE legislation and provide extensive safety features and labour saving devices. Fully interlocked guards and NVR (No-Volt-Release) are fitted as standard.

ACCESSORIES – VERSATILITY

The EU mixers come with a range of standard accessories. An extensive list of optional equipment is provided. Accessories for reduced quantity mixing are available to suit the specific operation at the time. An attachment hub is offered to further increase the versatility of the mixers.



Model HSM 40
40 l bowl capacity



Model H 600
60 l bowl capacity



Model H 800
80 l bowl capacity

HOBART GMBH

Robert-Bosch-Straße 17

77656 Offenburg/GERMANY

Phone +49(0)781.600-28 20

email: info-export@hobart.de

Fax +49(0)781.600-28 19

www.hobart-export.com

EFFICIENT – RELIABLE – INNOVATIVEMember of the *ITW* Food Equipment Group Europe

2 MODELS AND EQUIPMENT

MODEL	A 200	HSM 10	HSM 20	HSM 30	HSM 40	H 600	H 800
Planetary mixing system	●	●	●	●	●	●	●
Type							
Bench model	●	●	●	–	–	–	–
Floor model	●	–	–	●	●	●	●
Speeds							
Three speeds	●	–	●	●	●	–	–
Four speeds	–	–	–	–	–	●	●
Six speeds	–	●	–	–	–	–	–
Attachment hub							
Inclusive	●	–	–	–	–	–	–
Optional	–	–	–	●	●	●	●
Standard Equipment							
Timer	●	–	●	●	●	●	●
Stainless steel bowl	●	●	●	●	●	●	●
Wire whip	●	–	●	●	●	●	●
Dough hook	●	●	●	●	●	●	●
Flat beater	●	●	●	●	●	●	●

● incl. – Not available

Additional optional accessories are available.

3 TECHNICAL DATA

MODEL	BENCH MODEL			FLOOR MODEL				
	A 200	HSM 10	HSM 20	A 200	HSM 30	HSM 40	H 600	H 800
Bowl capacity in l **	20	10	20	20	30	40	60	80
Power supply	230/50/1 400/50/3	230/50/1	230/50/1 400/50/3	230/50/1 400/50/3	230/50/1 400/50/3	230/50/1 400/50/3	230/50/1 400/50/3	400/50/3
Capacity in kW	0.37	0.30	0.37	0.37	1.1	1.1	1.5	1.5
Dimensions for single units in mm								
Length	545	415	588	545	720	720	997	1,054
Width	472.5	365	450	472.5	657	657	700	700
Height	770	575	805	1,128	1,340	1,340	1,420	1,420
Net weight in kg	90	25	85	97	246	246	328	344

** models available with reduced bowl capacity (except for HSM 10)

